



BROOME STREET PATTERNS



Farmland

Plots

Designed by Osie Lebowitz



Finished quilt size: 39" x 47"

Fabric Requirements

1/3 yard Farm-C5915 White
1/3 yard Farm-C5921 Green
1/4 yard Farm-C5916 Sky
1/4 yard Farm-C5917 Green
1/4 yard Farm-C5917 Red
1/4 yard Farm-C5918 White
1/4 yard Farm-C5919 Water
1/4 yard Farm-C5920 Orange
1/2 yard Spin-C5300 Charcoal
1/2 yard Spin-C5300 Lime
3/8 yard Spin-C5300 Red (binding)
2 2/3 yards Farmland backing of your choice
47" x 55" batting

Cutting

From each Farm-C5915 White and Farm-C5921 Green:

- Cut one 8 1/2" x width-of-fabric (WOF) strip. Sub-cut four 8 1/2" x 10 1/2" rectangles.

From each Farm-C5916 Sky, Farm-C5917 Green, Farm-C5917 Red, Farm-C5918 White, Farm-C5919 Water and Farm-C5920 Orange:

- Cut one 4 1/4" x WOF strip. Sub-cut six 4 1/4" x 5 1/4" rectangles.

From Spin-C5300 Charcoal:

- Cut fourteen 1" x WOF strips. From ten strips, sub-cut sixteen 1" x 5 1/4", eight 1" x 8 1/2", twelve 1" x 10 1/2" and three 1" x 34" sashing strips. Save the remaining four strips for inner borders

From Spin-C5300 Lime:

- Cut five 2 1/2" x WOF strips for outer borders.

From Spin-C5300 Red:


- Cut five 2 1/2" x WOF for binding.

Block Construction

All seam allowances are 1/4" and pieces are sewn right sides together. Note some blocks are directional prints.

1. Select four different 4 1/4" x 5 1/4" farm animal rectangles. Arrange in a pleasing 2 x 2 arrangement. Following figure 1, sew a 1" x 5 1/4" C5300 Charcoal sashing strip between the top rectangles.
2. Repeat step 1, sewing a 1" x 5 1/4" C5300 Charcoal sashing strip between the bottom rectangles.
3. Sew a 1" x 8 1/2" C5300 Charcoal sashing strip between the step 1 and step 2 units. The block should measure 8 1/2" x 10 1/2". Repeat to make a total of eight blocks using a variety of the six 4 1/4" x 5 1/4" farm animal fabrics (*figure 1*). Note that you'll have some blocks leftover for another project.

Fig. 1



Make 8.

Quilt Top Assembly

4. Referring to the quilt photo for orientation, alternately lay out the pieced blocks and 8 1/2" x 10 1/2" rectangles in four horizontal rows of four blocks each.
5. Sew together the blocks in each row, adding a 1" x 10 1/2" C5300 Charcoal vertical sashing strip between.
6. Sew a 1" x 34" C5300 Charcoal sashing strip between each row and sew the rows together in order.



7. Sew together the remaining four 1" x WOF C5300 Charcoal sashing strips end to end for the inner border. Measure the quilt center length and cut two strips that measurement. Sew one strip to each side of the quilt top.
8. Measure the quilt center width and cut two strips that measurement from the remaining 1" C5300 Charcoal strip. Sew one strip to the top and other to the bottom of the quilt.
9. Sew together the five 2½" x WOF C5300 Lime strips end to end for other border. Repeat steps 7 and 8 to complete outer border.

Finishing

10. Layer the quilt top, batting and backing, and quilt as desired.
11. Stitch the binding strips together end to end using diagonal seams. Fold and press the resulting long strip in half lengthwise with wrong sides together. Stitch to the quilt front, matching raw edges and mitering the corners.
12. Fold the binding to the quilt underside and hand-stitch the folded edge to the quilt back.

Osie Lebowitz

©2017 Timeless Treasures www.ttfabrics.com

This pattern is for individual home use only. This pattern may not be reproduced for commercial purposes (i.e., may not be sold).