

**TIMELESS
TREASURES**

BROOME STREET PATTERNS



Row By Row Sew Musical

by Debra Gabel

Travelogue II

Designed by Osie Lebowitz



Finished quilt size: 73½" x 79½"

Fabric Requirements

One fat quarter Row-C5938 Foam
1/3 yard Row-C5933 Cream
1/3 yard Row-C5937 Tan
3/4 yard Row-C5935 Red
1/2 yard Row-C5935 Black
1 1/2 yards Row-C5934 Multi
5/8 yard Row-C5935 Black (binding)
5 yards Row by Row Sew Musical backing fabric
of your choice

Other supplies

8 rows of your choice from the Row by Row Experience
2018 (36 1/2" x 9 1/2" unfinished; two must be vertical
or non-directional)
81" x 88" batting

Cutting

From Row-C5938 Foam:

- Fussy-cut two 4 1/2" x 9 1/2" strips following the quilt photo for motif placement.

From Row-C5933 Cream:

- Fussy-cut one 9 1/2" x 20 1/2" strip following the quilt photo for motif placement.

From Row-C5937 Tan:

- Cut one 9 1/2" x 20 1/2" strip.

From Row-C5935 Red:

- Cut nine 2 1/2" x width of fabric (WOF) strips. Sub-cut three 2 1/2" x 36 1/2" strips and two 2 1/2" x 42 1/2" strips. Sub-cut one strip into two 2 1/2" x 20 1/2" strips. Sub-cut one strip into two 2 1/2" x 9 1/2" strips. Set the remaining strips aside for quilt construction.

From Row-C5935 Black:

- Cut seven 2" x WOF for the inner border.

From Row-C5934 Multi:

- Cut eight 6 1/2" x WOF for outer border.

From Row-C5935 Black:


- Cut eight 2 1/2" x WOF for binding.

Quilt Top Assembly

All seam allowances are 1/4" and pieces are sewn right sides together.

1. Lay out six horizontal rows and two vertical rows in a pleasing arrangement. For construction reference, horizontal rows start at the top and are numbered 1 to 6; vertical rows are numbered left to right, 7 and 8.
2. Sew a 2 1/2" x 36 1/2" C5935 Red sashing strip to the bottom of row 1. Sew row 2 to the bottom of row 1.
3. Repeat step 2 for row 3 and 4; and 5 and 6.
4. Sew a 2 1/2" x 20 1/2" C5935 Red sashing strip to the right side of row 1/2 section. Sew a 9 1/2" x 20 1/2" C5937 Tan strip to the right of that sashing strip. This section will measure 20 1/2" x 47 1/2".
5. Sew a 2 1/2" x 20 1/2" C5935 Red sashing strip to the left side of row 5/6 section. Sew a 9 1/2" x 20 1/2" C5933 Multi strip to the left of the sashing strip. This section will measure 20 1/2" x 47 1/2".
6. Sew a 2 1/2" x 9 1/2" C5935 Red sashing strip to the top of vertical row 7. Sew a 4 1/2" x 9 1/2" C5938 Foam strip to the top of the sashing strip. Sew a 2 1/2" x 42 1/2" C5935 Red sashing strip to the right of the row 7 section. This section will measure 11 1/2" x 42 1/2".
7. Sew a 2 1/2" x 9 1/2" C5935 Red sashing strip to the bottom of vertical row 8. Sew a 4 1/2" x 9 1/2" C5938 Foam strip to the bottom of the sashing strip. Sew a 2 1/2" x 42 1/2" C5935 Red sashing strip to the left of the row 8 section. This section will measure 11 1/2" x 42 1/2".
8. Sew the remaining 2 1/2" C5935 Red strips together end to end using diagonal seams. Cut two 2 1/2" x 47 1/2" strips. Sew one strip to the bottom of row 1/2 section. Sew the other strip on the top of the row 5/6 section.
9. The final assembly requires sewing a partial seam. Line up the row 3/4 section on top of the row 5/6 section, aligning the left edges. Starting on the left, sew the rows together stopping halfway along row 4.





Quilt Center Assembly Diagram

10. Sew the row 7 section to the left of row 3/4 and 5/6.
11. Sew the row 1/2 section to the top of row 7/3.
12. Sew row 8 to the right of rows 1/2 and 3/4 sections.
13. Complete the sewing on the partially sewn row between rows 4 and 5 to the lower end of row 8.
14. Sew the seven 2" x WOF C5935 Black strips together end to end using diagonal seams. Measure the quilt center length and cut two strips that measurement. Sew one strip to each side of the quilt.
15. Measure the quilt center width and cut two strips that measurement from the remaining pieced C5935 Black strip. Sew one strip on the top and the other to the bottom of the quilt.
16. Repeat steps 14 and 15 using eight 6 1/2" x WOF C5934 Multi strips for the outer border.

Finishing

17. Layer the quilt top, batting and backing and quilt as desired.
18. Stitch the binding strips together end to end using diagonal seams. Fold and press the resulting long strip in half lengthwise with wrong sides together. Stitch to the quilt front, matching raw edges and mitering the corners.
19. Fold the binding to the quilt underside and hand-stitch the folded edge to the quilt back.

Featured Row Patterns

(Note: Rows are from various years)

- Row 1 – Stewart’s Sewing Machines, Inc. – Mount Zion, Illinois
- Row 2 – Sew Much Fun – Lowell, North Carolina
- Row 3 – Sages Creek Quilts Co. – Pocatello, Idaho
- Row 4 – Huckleberry’s Fabrics Inc. – Comox, BC Canada
- Row 5 – Out Back Quilt Shop – Troy, Kansas
- Row 6 – Stitching It Up – Cedar City, Utah
- Row 7 (vertical) – The Quilt Haus – New Braunfels, Texas
- Row 8 (vertical) – Heirlooms Quilt Shoppe – St. Francisville, Louisiana

Osie Lebowitz

©2018 Timeless Treasures www.ttfabrics.com
 This pattern is for individual home use only. This pattern may not be reproduced for commercial purposes (i.e., may not be sold).